

St Leo as of Sept. 10, 2007
 Drainage Basins

Soils
 Pasco County Dated 2002

Slight Development Limitations

- 3, ARREDONDO FINE SAND/5 TO 8 PERCENT SLOPES
- 3, ARREDONDO FINE SAND/0 TO 5 PERCENT SLOPES
- 8, KENDRICK FINE SAND/0 TO 5 PERCENT SLOPES
- 8, KENDRICK FINE SAND/5 TO 8 PERCENT SLOPES
- 9, LOCHLOOSA FINE SAND/0 TO 5 PERCENT SLOPES*
- 10, MILLHOPPER FINE SAND/0 TO 5 PERCENT SLOPES
- 28, URBAN LAND

Moderate Development Limitations

- 14, NOBLETON FINE SAND/0 TO 5 PERCENT SLOPES*
- 26, SPARR FINE SAND/5 TO 8 PERCENT SLOPES*
- 26, SPARR FINE SAND/0 TO 5 PERCENT SLOPES*


Severe Development Limitations

- 2, ANCLOTE FINE SAND*
- 4, BASINGER FINE SAND*
- 5, BASINGER FINE SAND/DEPRESSIONAL*
- 6, BLICHTON FINE SAND/0 TO 2 PERCENT SLOPES*
- 6, BLICHTON FINE SAND/5 TO 8 PERCENT SLOPES*
- 6, BLICHTON FINE SAND/2 TO 5 PERCENT SLOPES*
- 7, DELRAY MUCKY FINE SAND/DEPRESSIONAL*
- 15, OKEELANTA-TERRA CEIA ASSOCIATION*
- 21, POMPANO FINE SAND*
- 23, SAMSULA MUCK*
- 29, WATER

Development Limitations Not Classified

- 19, PITS
- 17, PALMETTO-ZEPHYR-SELLERS COMPLEX*
- 22, QUARTZIPSAMMENTS/SHAPED/0 TO 5 PERCENT SLOPES

Note: *Soils with sever limitations for septic systems
 Source: Aerial, SWFWMD, 2007;
 Soils, Pasco County, 2006



Map 3
 Town of St. Leo
 Soils / Drainage Basins Map

ENGELHARDT, HAMMER & ASSOCIATES
 Land Planning · GIS · Expert Testimony
 3001 N. Rocky Point Drive, Suite 300, Tampa, Florida 33607
 Telephone 813 282-3855, Fax 813 286-2308